



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SIAM.

Report from Bangkok—Plague.

According to a report dated July 1, 1908, of the Belgian legation at Bangkok, published in the bulletin of the Belgian "Administration du Service de Santé et de l'Hygiène," 3 cases of plague were reported at Bangkok, Siam, during the week ended June 20, 1908.

VENEZUELA.

Report from Maracaibo—Plague continues at La Guaira and Caracas.

Consul Plumacher reports, August 5:

Bills of health show that plague still continues to exist at La Guaira and Caracas, being worse at the latter place. This port is still free of the disease.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—UNTABULATED.

ARGENTINA—*Rosario de Santa Fe.*—Month of June, 1908. Estimated population, 154,370. Total number of deaths, 246, including measles 1, scarlet fever 1, whooping cough 2, and 38 from tuberculosis.

AUSTRALIA—*State of South Australia.*—Five weeks ended July 4, 1908. Estimated population, 392,431. Total number of deaths, 358, including diphtheria 2, enteric fever 2, and 10 from tuberculosis.

QUEENSLAND—*Brisbane.*—Month of June, 1908. Estimated population, 135,655. Total number of deaths, 123, including enteric fever 2, diphtheria 2, plague 1, and 14 from tuberculosis.

BRAZIL—*Pernambuco.*—Month of July, 1908. Estimated population, 210,000. Total number of deaths, 627, including smallpox 55, enteric fever 1, malarial fever 30, leprosy 2, measles 1, and 100 from tuberculosis.

CANADA—*Ontario, Niagara Falls.*—Month of August, 1908. Estimated population, 9,500. Total number of deaths, 13.

GIBRALTAR.—Two weeks ended August 23, 1908. Estimated population, 36,830. Total number of deaths, 15, including 1 from enteric fever.

GREAT BRITAIN—*England and Wales.*—The deaths registered in 76 great towns in England and Wales during the week ended August 15, 1908, correspond to an annual rate of 15.0 per 1,000 population, which is estimated at 16,234,952.

LONDON.—One thousand two hundred and fifteen deaths were registered during the week, including measles 28, scarlet fever 9, diphtheria 6, whooping cough 14, tuberculosis 138, and 189 from diarrhea. The deaths from all causes correspond to an annual rate of 13.2 per 1,000. In Greater London 1,734 deaths were registered. In the